Contents:

Volume 130, Number 1, July 1995

1 **Molecular characterization of NDP52, a novel protein of the nuclear domain 10, which is redistributed upon virus infection and interferon treatment.**
F. Korioth, C. Gieffers, G. G. Maul, and J. Frey

15 **Signals and structural features involved in integral membrane protein targeting to the inner nuclear membrane.**
B. Soullam and H. J. Worman

29 **Functional characterization of the 180-kD ribosome receptor in vivo.**
E. E. Wanker, Y. Sun, A. J. Savitz, and D. I. Meyer

41 **BiP/Kar2p serves as a molecular chaperone during carboxypeptidase Y folding in yeast.**
J. F. Simons, S. Ferro-Novick, M. D. Rose, and A. Helenius

51 **Human peroxisomal targeting signal-1 receptor restores peroxisomal protein import in cells from patients with fatal peroxisomal disorders.**
E. A. C. Wiemer, W. M. Nuttley, B. L. Bertolaet, X. Li, U. Francke, M. J. Wheelock, U. K. Anné, K. R. Johnson, and S. Subramani

67 **Interaction of α-actinin with the cadherin/catenin cell–cell adhesion complex via α-catenin.**
K. A. Knudsen, A. P. Soler, K. R. Johnson, and M. J. Wheelock

79 **Non-muscle α-dystroglycan is involved in epithelial development.**
M. Durbeej, E. Larsson, O. Ibraghimov-Beskrovnaya, S. L. Roberds, K. P. Campbell, and P. Ekblom

93 **Transport of dendritic microtubules establishes their nonuniform polarity orientation.**
D. J. Sharp, W. Yu, and P. W. Baas

105 **Dissociation of centrosome replication events from cycles of DNA synthesis and mitotic division in hydroxyurea-arrested Chinese hamster ovary cells.**
R. Balczon, L. Bao, W. E. Zimmer, K. Brown, R. P. Zinkowski, and B. R. Brinkley

117 **Molecular genetic studies of a human epidermal autoantigen (the 180-kD bullous pemphigoid antigen/BP180): Identification of functionally important sequences within the BP180 molecule and evidence for an interaction between BP180 and α6 integrin.**
S. B. Hopkinson, S. E. Baker, and J. C. R. Jones

127 **ARIA can be released from extracellular matrix through cleavage of a heparin-binding domain.**
J. A. Loeb and G. D. Fischbach

137 **Peripheral expression and biological activities of GDNF, a new neurotrophic factor for avian and mammalian peripheral neurons.**
M. Trupp, M. Rydén, H. Jörnvall, H. Funakoshi, T. Timmusk, E. Arenas, and C. F. Ibáñez

149 **NGF-stimulated retrograde transport of trkA in the mammalian nervous system.**
M. D. Ehlers, D. R. Kaplan, D. L. Price, and V. E. Koliatsos

157 **Alterations in mitochondrial structure and function are early events of dexamethasone-induced thymocyte apoptosis.**
P. X. Petit, H. Lecoeur, E. Zorn, C. Dauguet, B. Mignotte, and M.-L. Gougeon

169 **Lens epithelial cell apoptosis appears to be a common cellular basis for non-congenital cataract development in humans and animals.**
W.-C. Li, J. R. Kuszak, K. Dunn, R.-R. Wang, W. Ma, G.-M. Wang, A. Spector, M. Leib, A. M. Cotliar, M. Weiss, J. Espy, G. Howard, R. L. Farris, J. Auran, A. Donn, A. Hofeldt, C. Mackay, J. Merriam, R. Mittl, and T. R. Smith

183 **Epidermal growth factor promotes a neural phenotype in thymic epithelial cells and enhances neuropoietic cytokine expression.**
I. Screpanti, S. Scarpa, D. Meco, D. Bellavia, L. Stuppia, L. Frati, A. Modesti, and A. Gulino

193 **Sphingosine-1-phosphate inhibits PDGF-induced chemotaxis of human arterial smooth muscle cells: Spatial and temporal modulation of PDGF chemotactic signal transduction.**
K. E. Bornfeldt, L. M. Graves, E. W. Raines, Y. Igarashi, G. Wayman, S. Yamamura, Y. Yatomi, J. S. Sidhu, E. G. Krebs, S. Hakomori, and R. Ross

207 **Fibrin II induces endothelial cell capillary tube formation.**
D. G. Chalupowicz, Z. A. Chowdhury, T. L. Bach, C. Barsigian, and J. Martinez

217 **Osteogenic protein-1 binds to activin type II receptors and induces certain activin-like effects.**
H. Yamashita, P. ten Dijke, D. Huylebroeck, T. K. Sampath, M. Andries, J. C. Smith, C.-H. Heldin, and K. Miyazono

227 **A targeted mutation at the known collagenase cleavage site in mouse type I collagen impairs tissue remodeling.**
X. Liu, H. Wu, M. Byrne, J. Jeffrey, S. Krane, and R. Jaenisch

Volume 130, Number 2, July 1995

243 **Telomerase RNA localized in the replication band and spherical subnuclear organelles in hypotrichous ciliates.**
G. Fang and T. R. Cech

255 **The cell cycle–dependent nuclear import of v-Jun is regulated by phosphorylation of a serine adjacent to the nuclear localization signal.**
T. Tagawa, T. Kuroki, P. K. Vogt, and K. Chida

265 **Sequence and characterization of cytoplasmic nuclear protein import factor p97.**
N. C. Chi, E. J. H. Adam, and S. A. Adam

275 **Stimulation of *Xenopus* oocyte maturation by inhibition of the G-protein α_s subunit, a component of the plasma membrane and yolk platelet membranes.**
C. J. Gallo, A. R. Hand, T. L. Z. Jones and L. A. Jaffe

285 ***trans*-Golgi retention of a plasma membrane protein: Mutations in the cytoplasmic domain of the asialoglycoprotein receptor subunit H1 result in *trans*-Golgi retention.**
J. M. Wahlberg, I. Geffen, F. Reymond, T. Simmen, and M. Spiess

299 **Sec6, Sec8, and Sec15 are components of a multisubunit complex which localizes to small bud tips in *Saccharomyces cerevisiae*.**
D. R. TerBush and P. Novick

313 ***Ank3* (epithelial ankyrin), a widely distributed new member of the ankyrin gene family and the major ankyrin in kidney, is expressed in alternatively spliced forms, including forms that lack the repeat domain.**
L. L. Peters, K. M. John, F. M. Lu, E. M. Eicher, A. Higgins, M. Yialamas, L. C. Turtzo, A. J. Otsuka, and S. E. Lux

331 **Actin-based movement of listeria monocytogenes: Actin assembly results from the local maintenance of uncapped filament barbed ends at the bacterium surface.**
J.-B. Marchand, P. Moreau, A. Paoletti, P. Cossart, M.-F. Carlier, and D. Pantaloni

345 **Actin-dependent mitochondrial motility in mitotic yeast and cell-free systems: Identification of a motor activity on the mitochondrial surface.**
V. R. Simon, T. C. Swayne, and L. A. Pon

355 **c-Src regulates the simultaneous rearrangement of actin cytoskeleton, p190RhoGAP, and p120RasGAP following epidermal growth factor stimulation.**
J.-H. Chang, S. Gill, J. Settleman, and S. J. Parsons

369 **p120, a p120-related protein (p100), and the cadherin/catenin complex.**
J. M. Staddon, C. Smales, C. Schulze, F. S. Esch, and L. L. Rubin

383 **Reduced contact-inhibition and substratum adhesion in epithelial cells expressing GlcNAc-transferase V.**
M. Demetriou, I. R. Nabi, M. Coppolino, S. Dedhar, and J. W. Dennis

393 **Identification and characterization of a fibroblast marker: FSP1.**
F. Strutz, H. Okada, C. W. Lo, T. Danoff, R. L. Carone, J. E. Tomaszewski, and E. G. Neilson

407 **Expression of *Notch 1*, *2*, and *3* is regulated by epithelial-mesenchymal interactions and retinoic acid in the developing mouse tooth and associated with determination of ameloblast cell fate.**
T. A. Mitsiadis, M. Lardelli, U. Lendahl, and I. Thesleff

419 **Expression of a connexin 43/β-galactosidase fusion protein inhibits gap junctional communication in NIH3T3 cells.**
R. Sullivan and C. W. Lo

431 **In vivo requirement of protein prenylation for maintenance of retinal cytoarchitecture and photoreceptor structure.**
S. J. Pittler, S. J. Fliesler, P. L. Fisher, R. Kennedy Keller, and L. M. Rapp

441 **Requirement of the NPXY motif in the integrin β3 subunit cytoplasmic tail for melanoma cell migration in vitro and in vivo.**
E. J. Filardo, P. C. Brooks, S. L. Deming, C. Damsky, and D. A. Cheresh

451 **CD31/PECAM-1 is a ligand for $\alpha_v\beta_3$ integrin involved in adhesion of leukocytes to endothelium.**
L. Piali, P. Hammel, C. Uherek, F. Bachmann, R. H. Gisler, D. Dunon, and B. A. Imhof

461 **Tyrosine phosphorylation regulates the adhesions of Ras-transformed breast epithelia.**
M. S. Kinch, G. J. Clark, C. J. Der, and K. Burridge

473 **Characterization of functional domains of the tenascin-R (restrictin) polypeptide: Cell attachment site, binding with F11, and enhancement of F11-mediated neurite outgrowth by tenascin-R.**
U. Nörenberg, M. Hubert, T. Brümmendorf, A. Tárnok, and F. G. Rathjen

485 **Monoclonal antibodies to CD44 and their influence on hyaluronan recognition.**
Z. Zheng, S. Katoh, Q. He, K. Oritani, K. Miyake, J. Lesley, R. Hyman, A. Hamik, R. M. E. Parkhouse, A. G. Farr, and P. W. Kincade

497 **ADDITIONS AND CORRECTIONS**

501 **ADDITIONS AND CORRECTIONS**

Volume 130, Number 3, August 1995

Commentary

503 **Diversity of function is inherent in matricellular proteins: An appraisal of thrombospondin 1**
P. Bornstein

Regular Articles

507 **CENP-F is a protein of the nuclear matrix that assembles onto kinetochores at late G2 and is rapidly degraded after mitosis.**
H. Liao, R. J. Winkfein, G. Mack, J. B. Rattner, and T. J. Yen

519 **NAC covers ribosome-associated nascent chains thereby forming a protective environment for regions of nascent chains just emerging from the peptidyl transferase center.**
S. Wang, H. Sakai, and M. Wiedmann

529 **Transmembrane movement of a water-soluble analogue of mannosylphosphoryldolichol is mediated by an endoplasmic reticulum protein.**
J. S. Rush and C. J. Waechter

537 **Selective reentry of recycling cell surface glycoproteins to the biosynthetic pathway in human hepatocarcinoma HepG2 cells.**
B. Volz, G. Orberger, S. Porwoll, H.-P. Hauri, and R. Tauber

553 ***DNM1*, a dynamin-related gene, participates in endosomal trafficking in yeast.**
A. E. Gammie, L. J. Kurihara, R. B. Vallee, and M. D. Rose

567 **Functional characterization of Ost3p. Loss of the 34-kD subunit of the *Saccharomyces cerevisiae* oligosaccharyltransferase results in biased underglycosylation of acceptor substrates.**
D. Karaoglu, D. J. Kelleher, and R. Gilmore

579 **Insulation of a G protein–coupled receptor on the plasmalemmal surface of the pancreatic acinar cell.**
B. F. Roettger, R. U. Rentsch, E. M. Hadac, E. H. Hellen, T. P. Burghardt, and L. J. Miller

591 **Quantification and localization of phosphorylated myosin I isoforms in *Acanthamoeba castellanii.***
I. C. Baines, A. Corigliano-Murphy, and E. D. Korn

605 **Expression of light meromyosin in *Dictyostelium* blocks normal myosin II function.**
C. G. Burns, M. Reedy, J. Heuser, and A. De Lozanne

613 **Myosin light chain kinase-regulated endothelial cell contraction: The relationship between isometric tension, actin polymerization, and myosin phosphorylation.**
Z. M. Goeckeler and R. B. Wysolmerski

629 **F actin bundles in *Drosophila* bristles I. Two filament cross-links are involved in bundling.**
L. G. Tilney, M. S. Tilney, and G. M. Guild

639 **Analysis of MAP 4 function in living cells using green fluorescent protein (GFP) chimeras.**
K. R. Olson, J. R. McIntosh, and J. B. Olmsted

651 ***Schizosaccharomyces pombe cdc4*$^{+}$ gene encodes a novel EF-hand protein essential for cytokinesis.**
D. McCollum, M. K. Balasubramanian, L. E. Pelcher, S. M. Hemmingsen, and K. L. Gould

661 **Members of the NAP/SET family of proteins interact specifically with B-type cyclins.**
D. R. Kellogg, A. Kikuchi, T. Fujii-Nakata, C. W. Turck, and A. W. Murray

675 **NAP1 acts with Clb2 to perform mitotic functions and to suppress polar bud growth in budding yeast.**
D. R. Kellogg and A. W. Murray

687 **Spindle dynamics and cell cycle regulation of dynein in the budding yeast, *Saccharomyces cerevisiae.***
E. Yeh, R. V. Skibbens, J. W. Cheng, E. D. Salmon, and K. Bloom

701 **Stimulation of neurite outgrowth in PC12 cells by EGF and KCl depolarization: A Ca^{2+}-independent phenomenon.**
M. D. Mark, Y. Liu, S. T. Wong, T. R. Hinds, and D. R. Storm

711 **A phosphatidylinositol 4,5-*bis*phosphate–sensitive casein kinase Iα associates with synaptic vesicles and phosphorylates a subset of vesicle proteins.**
S. D. Gross, D. P. Hoffman, P. L. Fisette, P. Baas, and R. A. Anderson

725 **The chemotactic response to PDGF-BB: Evidence of a role for ras.**
V. Kundra, B. Anand-Apte, L. A. Feig, and B. R. Zetter

733 **Functional analysis of posttranslational cleavage products of the neuron–glia cell adhesion molecule, Ng-CAM.**
M. P. Burgoon, R. B. Hazan, G. R. Phillips, K. L. Crossin, G. M. Edelman, and B. A. Cunningham

745 **Integrin β_3 cytoplasmic tail is necessary and sufficient for regulation of $\alpha_5\beta_1$ phagocytosis by $\alpha_v\beta_3$ and integrin-associated protein.**
S. D. Blystone, F. P. Lindberg, S. E. LaFlamme, and E. J. Brown

755 **Early events in DNA replication require cyclin E and are blocked by $p21^{CIP1}$.**
P. K. Jackson, S. Chevalier, M. Philippe, and M. W. Kirschner

771 **Retention of glucose units added by the UDP-GLC: Glycoprotein glucosyltransferase delays exit of glycoproteins from the endoplasmic reticulum.**
C. Labriola, J. J. Cazzulo, and A. J. Parodi

781 **Role for phosphatidylinositol 3-kinase in the sorting and transport of newly synthesized lysosomal enzymes in mammalian cells.**
W. J. Brown, D. B. DeWald, S. D. Emr, H. Plutner, and W. E. Balch

797 **Wortmannin causes mistargeting of procathepsin D. Evidence for the involvement of a phosphatidylinositol 3-kinase in vesicular transport to lysosomes.**
H. W. Davidson

807 **Intracellular sorting and targeting of melanosomal membrane proteins: identification of signals for sorting of the human brown locus protein, GP75.**
S. Vijayasaradhi, Y. Xu, B. Bouchard, and A. N. Houghton

821 **Transport from late endosomes to lysosomes, but not sorting of integral membrane proteins in endosomes, depends on the vacuolar proton pump.**
A. W. M. van Weert, K. W. Dunn, H. J. Geuze, F. R. Maxfield, and W. Stoorvogel

835 **A truncated form of the Pho80 cyclin redirects the Pho85 kinase to disrupt vacuole inheritance in *S. cerevisiae*.**
T. A. Nicolson, L. S. Weisman, G. S. Payne, and W. T. Wickner

847 **Overexpression of calreticulin increases the Ca^{2+} capacity of rapidly exchanging Ca^{2+} stores and reveals aspects of their lumenal microenvironment and function.**
C. Bastianutto, E. Clementi, F. Codazzi, P. Podini, F. De Giorgi, R. Rizzuto, J. Meldolesi, and T. Pozzan

857 **Inositol 1,4,5-trisphosphate receptors selectively localized to the acrosomes of mammalian sperm.**
L. D. Walensky and S. H. Snyder

871 **Maintenance of the differentiated state in skeletal muscle: activation of v-Src disrupts sarcomeres in quail myotubes.**
L. Castellani, M. C. Reedy, M. C. Gauzzi, C. Provenzano, S. Alemà, and G. Falcone

887 **The specific NH_2-terminal sequence Ac-EEED of α-smooth muscle actin plays a role in polymerization in vitro and in vivo.**
C. Chaponnier, M. Goethals, P. A. Janmey, F. Gabbiani, G. Gabbiani, and J. Vandekerckhove

897 **Mechanochemistry of protein 4.1's spectrin–actin-binding domain: Ternary complex interactions, membrane binding, network integration, structural strengthening.**
D. E. Discher, R. Winardi, P. O. Schischmanoff, M. Parra, J. G. Conboy, and N. Mohandas

909 **Rigidity of microtubules is increased by stabilizing agents.**
B. Mickey and J. Howard

919 **A molecular marker for centriole maturation in the mammalian cell cycle.**
B. M. H. Lange and K. Gull

929 **Kinetochore chemistry is sensitive to tension and may link mitotic forces to a cell cycle checkpoint.**
R. B. Nicklas, S. C. Ward, and G. J. Gorbsky

941 **The checkpoint delaying anaphase in response to chromosome monoorientation is mediated by an inhibitory signal produced by unattached kinetochores.**
C. L. Rieder, R. W. Cole, A. Khodjakov, and G. Sluder

949 **Local neurotrophic repression of gene transcripts encoding fetal AChRs at rat neuromuscular synapses.**
W. A. Kues, H. R. Brenner, B. Sakmann, and V. Witzemann

959 **Developmental regulation of membrane traffic organization during synaptogenesis in mouse diaphragm muscle.**
C. Antony, M. Huchet, J.-P. Changeux, and J. Cartaud

969 **Fish E587 glycoprotein, a member of the L1 family of cell adhesion molecules, participates in axonal fasciculation and the age-related order of ganglion cell axons in the goldfish retina.**
M. Bastmeyer, H. Ott, C. A. Leppert, and C. A. O. Stuermer

977 **Receptor protein tyrosine phosphatase PTPμ associates with cadherins and catenins in vivo.**
S. M. Brady-Kalnay, D. L. Rimm, and N. K. Tonks

987 **Transfected connexin45 alters gap junction permeability in cells expressing endogenous connexin43.**
M. Koval, S. T. Geist, E. M. Westphale, A. E. Kemendy, R. Civitelli, E. C. Beyer, and T. H. Steinberg

997 **Hst-1 (FGF-4) antisense oligonucleotides block murine limb development.**
T. Ochiya, H. Sakamoto, M. Tsukamoto, T. Sugimura, and M. Terada

1005 **Large and small splice variants of collagen XII: Differential expression and ligand binding.**
M. Koch, B. Bohrmann, M. Matthison, C. Hagios, B. Trueb, and M. Chiquet

1015 **ADDITIONS AND CORRECTIONS**

Volume 130, Number 5, September 1995

1017 **Rna1p, a Ran/TC4 GTPase activating protein, is required for nuclear import.**
A. H. Corbett, D. M. Koepp, G. Schlenstedt, M. S. Lee, A. K. Hopper, and P. A. Silver

1027 **A role for tubular networks and a COP I-independent pathway in the mitotic fragmentation of Golgi stacks in a cell-free system.**
T. Misteli and G. Warren

1041 **Biogenesis of synaptic vesicles in vitro.**
C. Desnos, L. Clift-O'Grady, and R. B. Kelly

1051 **Requirement of nucleotide exchange factor for Ypt1 GTPase mediated protein transport.**
S. Jones, R. J. Litt, C. J. Richardson, and N. Segev

1063 **Distinct effects of α-SNAP, 14-3-3 proteins, and calmodulin on priming and triggering of regulated exocytosis.**
L. H. Chamberlain, D. Roth, A. Morgan, and R. D. Burgoyne

1071 **Distinct signals in the GLUT4 glucose transporter for internalization and for targeting to an insulin-responsive compartment.**
K. J. Verhey, J.-I. Yeh, and M. J. Birnbaum

1081 **Molecular regulation of GLUT-4 targeting in 3T3-L1 adipocytes.**
B. J. Marsh, R. A. Alm, S. R. McIntosh, and D. E. James

1093 **A mutation in glyceraldehyde 3-phosphate dehydrogenase alters endocytosis in CHO cells.**
A. R. Robbins, R. D. Ward, and C. Oliver

1105 **Hierarchy of mechanisms involved in generating Na/K-ATPase polarity in MDCK epithelial cells.**
R. W. Mays, K. A. Siemers, B. A. Fritz, A. W. Lowe, G. van Meer, and W. J. Nelson

1117 **Crystal structure and subunit dynamics of the abalone sperm lysin dimer: egg envelopes dissociate dimers, the monomer is the active species.**
A. Shaw, P. A. G. Fortes, C. D. Stout, and V. D. Vacquier

1127 **Involvement of transglutaminase in myofibril assembly of chick embryonic myoblasts in culture.**
S. J. Kang, K. S. Shin, W. K. Song, D. B. Ha, C. H. Chung, and M.-S. Kang

1137 **γ-Tubulin can both nucleate microtubule assembly and self-assemble into novel tubular structures in mammalian cells.**
H.-B. Shu and H. C. Joshi

1149 **Three-dimensional structural characterization of centrosomes from early *Drosophila* embryos.**
M. Moritz, M. B. Braunfeld, J. C. Fung, J. W. Sedat, B. M. Alberts, and D. A. Agard

1161 **Membrane/microtubule tip attachment complexes (TACs) allow the assembly dynamics of plus ends to push and pull membranes into tubulovesicular networks in interphase *Xenopus* egg extracts.**
C. M. Waterman-Storer, J. Gregory, S. F. Parsons, and E. D. Salmon

1171 **A 39-kD DNA-binding protein from mouse brain stimulates transcription of myelin basic protein gene in oligodendrocytic cells.**
S. Haas, P. Thatikunta, A. Steplewski, E. M. Johnson, K. Khalili, and S. Amini

1181 **Focal adhesion kinase and paxillin bind to peptides mimicking β integrin cytoplasmic domains.**
M. D. Schaller, C. A. Otey, J. D. Hildebrand, and J. T. Parsons

1189 **A peptide isolated from phage display libraries is a structural and functional mimic of an RGD-binding site on integrins.**
R. Pasqualini, E. Koivunen, and E. Ruoslahti

1197 **Role of phospholipase D in the cAMP signal transduction pathway activated during fibroblast contraction of collagen matrices.**
Y. He and F. Grinnell

1207 **K-Glypican: A novel GPI-anchored heparan sulfate proteoglycan that is highly expressed in developing brain and kidney.**
K. Watanabe, H. Yamada, and Y. Yamaguchi

1219 **Differential expression of two basement membrane collagen genes, COL4A6 and COL4A5, demonstrated by immunofluorescence staining using peptide-specific monoclonal antibodies.**
Y. Ninomiya, M. Kagawa, K. Iyama, I. Naito, Y. Kishiro, J. M. Seyer, M. Sugimoto, T. Oohashi, and Y. Sado

1231 **ADDITIONS AND CORRECTIONS**

Volume 130, Number 6, September

1239 **Evidence for the organization of chromatin in megabase pair–sized loops arranged along a random walk path in the human G0/G1 interphase nucleus.**
H. Yokota, G. van den Engh, J. E. Hearst, R. K. Sachs, and B. J. Trask

1251 **Proenkephalin is a nuclear protein responsive to growth arrest and differentiation signals.**
A. Böttger and B. A. Spruce

1263 **A novel nuclear pore protein Nup82p which specifically binds to a fraction of Nsp1p.**
P. Grandi, S. Emig, C. Weise, F. Hucho, T. Pohl, and E. C. Hurt

1275 **NUP82 is an essential yeast nucleoporin required for poly(A)$^+$ RNA export.**
M. E. Hurwitz and G. Blobel

1283 **Fus2 localizes near the site of cell fusion and is required for both cell fusion and nuclear alignment during zygote formation.**
E. A. Elion, J. Trueheart, and G. R. Fink

1297 **A determinant in the cytoplasmic tail of the cation-dependent mannose 6-phosphate receptor prevents trafficking to lysosomes.**
J. Rohrer, A. Schweizer, K. F. Johnson, and S. Kornfeld

1307 **Different sensitivity to wortmannin of two vacuolar sorting signals indicates the presence of distinct sorting machineries in tobacco cells.**
K. Matsuoka, D. C. Bassham, N. V. Raikhel, and K. Nakamura

1319 **Involvement of the GTP binding protein Rho in constitutive endocytosis in *Xenopus laevis* oocytes.**
G. Schmalzing, H.-P. Richter, A. Hansen, W. Schwarz, I. Just, and K. Aktories

1333 **Identification of six complementation classes involved in the biosynthesis of glycosylphosphatidylinositol anchors in *Saccharomyces cerevisiae.***
M. Benghezal, P. N. Lipke, and A. Conzelmann

1345 **Cytokinesis in tobacco BY-2 and root tip cells: A new model of cell plate formation in higher plants.**
A. L. Samuels, T. H. Giddings, Jr., and L. A. Staehelin

1359 **Phragmoplast of the green alga *Spirogyra* is functionally distinct from the higher plant phragmoplast.**
H. Sawitzky and F. Grolig

1373 **Two microtubule-associated proteins required for anaphase spindle movement in *Saccharomyces cerevisiae.***
D. Pellman, M. Bagget, H. Tu, and G. R. Fink

1387 **KIF3A/B: A heterodimeric kinesin superfamily protein that works as a microtubule plus end–directed motor for membrane organelle transport.**
H. Yamazaki, T. Nakata, Y. Okada, and N. Hirokawa

1401 **Major epiplasmic proteins of ciliates are articulins: Cloning, recombinant expression, and structural characterization.**
I. Huttenlauch, N. Geisler, U. Plessmann, R. K. Peck, K. Weber, and R. Stick

1413 **Increasing neurofilament subunit NF-M expression reduces axonal NF-H, inhibits radial growth, and results in neurofilamentous accumulation in motor neurons.**
P. C. Wong, J. Marszalek, T. O. Crawford, Z. Xu, S.-T. Hsieh, J. W. Griffin, and D. W. Cleveland

1423 **ARIA is concentrated in the synaptic basal lamina of the developing chick neuromuscular junction.**
A. D. J. Goodearl, A. G. Yee, A. W. Sandrock Jr., G. Corfas, and G. D. Fischbach

1435 **Regulation of nerve growth factor receptor gene expression in sympathetic neurons during development.**
S. Wyatt and A. M. Davies

1447 **Intracellular routing of wild-type and mutated polymeric immunoglobulin receptor in hippocampal neurons in culture.**
M. de Hoop, C. von Poser, C. Lange, E. Ikonen, W. Hunziker, and C. G. Dotti

1461 **Controlled conversion of an immortalized mesodermal progenitor cell towards osteogenic, chondrogenic, or adipogenic pathways.**
A. Poliard, A. Nifuji, D. Lamblin, E. Plee, C. Forest, and O. Kellermann

1473 **Heparin is an adhesive ligand for the leukocyte integrin Mac-1 (CD11b/CD18).**
M. S. Diamond, R. Alon, C. A. Parkos, M. T. Quinn, and T. A. Springer

1483 **AUTHOR INDEX FOR VOLUME 130**

1493 **SUBJECT INDEX FOR VOLUME 130**